Lonza

Niacinamide

Multi-benefit Active for Personal Care




INCI Name: Niacinamide USP PC SAP Code#: 202937 INCI Name: Niacinamide USP SAP Code#: 194749

Key Product Attributes

- Upregulates Aquaporin-3 (AQP3) (in vitro)
- Enhances skin tone (in vitro)
- Helps improve the overall appearance of skin
 - Improving skin texture
 - Evening skin complexion
- May help to reduce the appearance of acne
- May help to revitalize hair to minimize hair fall and improve its overall appearance
- Two grades available for the Personal Care market: Niacinamide USP PC (low niacin) and Niacinamide USP

Niacinamide USP / Niacinamide USP PC	
INCI name:	Niacinamide
Other names:	Nicotinamide, Nicotinic acid amide, Pyridine 3-carboxylic acid amide, Vitamin B3
Chemical formula:	C ₆ H ₆ N ₂ O
CAS No:	98-92-0



What is Niacin/Niacinamide?

Niacinamide (nicotinamide) comprises one of the two forms of Vitamin B3; niacin (or nicotinic acid) being the other, both of which provide equivalent vitamin activity. As an essential component of living cells, Vitamin B3 is essential for protein, carbohydrate and fat metabolism. Niacinamide is a precursor in the synthesis of the pyridine coenzymes NAD and NADP involved in cell metabolism, and as such play a key role in the production of energy.

Efficacy Studies (in vitro)

Upregulation of AQP3: Epidermal Keratinocutes

Aquaporins (AOP) are a family of transport proteins involved with the movement of water and small solutes across cell membranes. Epidermal keratinocytes have been shown to express AQP3, and the glycerol transport function of AQP3 has been implicated to play a critical role in maintaining skin hydration. Therefore, materials which can influence the level of epidermal AQP3 can prove to be valuable components in cosmetic or personal health care products. For this study, untreated human keratinocytes were compared to keratinocytes treated with 10 µg/ml and 100 µg/ml of Niacinamide USP. After the 48-hour treatment period was completed, assessment of AQP3 expression of the treated keratinocytes showed that application of 100 µg/ml of Niacinamide USP provided a statistically significant positive effect on AQP3 expression.


Optical Density 00 00 02 02 * 80 ----70 -----60 50 -----40 --30 -----20 10 0 Untreated 10 µg/ml Niacinamide USP 100 µg/ml Niacinamide USP

* Denotes values that are significantly different from the Untreated group (p < 0.05).

Enhanced Skin Tone: Tanned Epidermal Model

Studies have shown that Niacinamide USP has a positive effect in inhibiting melanin synthesis to deliver a more uniform skin tone appearance. To assess its effect on melanin, a study was conducted using SkinEthic's Tanned Epidermis model where treatments with both 1% and 0.01% of Niacinamide USP were applied to the surface of the tissue substrate over a 9-day period. Upon completion of the treatment period, melanin values were calculated. The results of this study showed that 1% Niacinamide USP provided a statistically significant reduction of melanin synthesis versus untreated tissue.

Assessment of Melanin Concentrations via Melanin Assay (in vitro)



Lonza – Your Reliable Supplier for Vitamin B3

Lonza has been a leading supplier of Vitamin B3 for over 40 years, producing Niacinamide in different forms for the dietary supplements, food, personal care, pharma and animal nutrition markets. Lonza Consumer Care is committed to providing unsurpassed quality products, stemming from our belief that our products are an extension of yours.

1ISA

Lonza Consumer Care 70 Tyler Place South Plainfield, NJ 07080 Tel +1 908 561 5200

Switzerland

lonzaltd Muenchensteinerstrasse 38 4002 Basel Tel +41 61 316 81 11

Review and follow all product safety instructions. All product information corresponds to Lonza's knowledge on the subject at the date of publication, but Lonza makes no warranty as to its accuracy or completeness and Lonza assumes no obligation to update it. Product information is intended for use by recipients experienced and knowledgeable in the field, who are capable of and responsible for independently determining the suitability of ingredients for intended uses and to ensure their compliance with applicable law. Proper use of this information is the sole responsibility of the recipient. This information relates solely to the product as an ingredient. It may not be applicable, complete or suitable for the recipient's finished product or application; therefore republication of such information or related statements is prohibited. Information provided by Lonza is not intended and should not be construed as a license to operate under or a recommendation to infringe any patent or other intellectual property right. No claims are made herein for any specific intermediate or end-use application.

@ 2018 | onza

www.lonza.com www.lonza.com/personalcare

Change in Aquaporin-3 Expression (in vitro)

Pyridoxine Hydrochloride

INCI Name: Pyridoxine HCL

CAS Numbers: 58-56-0

Description:



Pyridoxine Hydrochloride is the hydrochloride salt of Vitamin B6. When applied naturally in the body, Pyridoxine Hydrochloride assists in the balancing of sodium and potassium. Pyridoxine Hydrochloride can have antibacterial and antioxidant benefits for skin when applied topically.

Technical Data:

Test	Specification
Identity Test	Passes
Purity	≥98.0%
Melting Point	202 - 214°C
FTIR	Conforms to Standard
pH (10% aq soln)	2.0 - 4.0
Loss on Drying	<u>≤0.5%</u>
Residue on Ignition	<u>≤0.1%</u>
Heavy Metals	≤0.003%
Chloride Content	16.9 - 17.6 (dried
	basis)

Applications:

Pyridoxine Hydrochloride is used as a skin and hair conditioning agent. Pyridoxine Hydrochloride is found in a wide variety of formulas including bath products, soaps, detergents, cleansing products, hair care products, and skin care lotions.

